EX PARTE OR LATE FILED

WILEY, REIN & FIELDING

1776 K STREET, N. W. WASHINGTON, D. C. 20006 (202) 429-7000

March 25, 1994

FACSIMILE (202)429-7049

WRITER'S DIRECT DIAL NUMBER

(202) 429-7338

RECEIVED

MAR 2 5 1994

Mr. William F. Caton Acting Secretary Federal Communications Commission Room 222 1919 M Street, N.W. Washington D.C. 20054

FEDERAL COMMUNICATIONS COMMISSION OFFICE OF THE SECRETARY

In Re: Ex Parte Presentation in Gen Docket No. 90-314 (Amendment of the Commission's Rules to Establish New Personal Communications Services)

Dear Mr. Caton:

On March 24, 1994, Amy Stephan of Telocator, Barclay Jones of American Personal Communications, Inc., Bob Voss and Larry Blosser of MCI, and Michael Lewis of Wiley, Rein & Fielding met with Bruce Franca, Fred Thomas and Arthur Feller of the Office of Engineering and Technology to discuss technical issues surrounding the Commission's Second Report and Order in the above referenced proceeding. In particular, the meeting focused on the maximum permitted power afforded PCS operators. The enclosed handout was provided to the staff and should be associated with Gen. Docket No. 90-314.

Please call me at (202) 429-7338 should you have any questions regarding this matter.

Sincerely,

Michael A. Lewis

Engineering Policy Advisor

al A. Luis

Wiley, Rein & Fielding

Enclosure

Mr. Bruce Franca

Mr. Fred Thomas Mr. Arthur Feller

The Personal Communications Industry Association

CONCERNS ABOUT POWER LIMITS SPECIFIED IN SECOND PCS R&O

- Current power limits are incompatible with mandated objectives for wide area PCS deployment.
- Current power limit specifications penalize emerging radio technologies such as TDMA and CDMA that employ multi-user per rf carrier techniques.
- Current power limits for PCS are more restrictive than other mobile services.

The Personal Communications Industry Association

PCIA PROPOSAL ON POWER LIMITS

- Base station ERP limits set at 1000 watts ERP.
- 1.2 watt ERP limit for <u>subscriber units</u> (handsets) <u>with</u> integral antenna.
- Create a new 12 watt ERP category of subscriber units with <u>mandatory external antenna</u> to accommodate the use of external gain antennas in vehicular and temporary fixed applications.

The Personal Communications Industry Association

- Economic Issues
 - Crucial to to economically serving low density areas is the ability to serve large areas with a small number of base stations
 - » Base station quantities required are a function of
 - physical propagation laws at 2 GHz
 - characteristics of technology employed (both radio and antenna)
 - power levels authorized
- Laws of Physics
 - 8 to 10 db of additional path and systems losses (2GHz vs 800 MHz) must be overcome through higher system gains
 - » 8 to 10 db loss equivalent to 75% reduction in cell coverage area

The Personal Communications Industry Association

- Definition of Power
 - Emerging PCS technologies "spread" power over more bandwidth and/or time slots.
 - » Power per user at a base station for TDMA/CDMA is the issue when compared to single channel per carrier technologies traditionally employed in radio services.
- Determination of 12 Watt ERP Limit Category
 - External vehicular/temporary fixed antenna technology can provide 10 db gain.
 - » 10 db gain applied to a 1.2 watt transmitter output is 12 watt ERP. Other combinations of transmitter power and antenna gain can achieve similar results.

The Personal Communications Industry Association

- System Balance Considerations
 - Urban/Suburban Deployment
 - Emerging antenna technologies (e.g. smart antennas) achieve base receive antenna gains of 20 to 30 db.
 - » Balanced link engineering practice with 1.2 watt ERP subscriber units is matched by a 1000 watt base transmit ERP specification
 - Rural Deployment
 - » Use of external gain antennas and a 12 watt ERP subscriber power limit maintains path balance when coverage area is increased beyond that obtainable with 1.2 watt ERP limit.
 - » External antenna on subscriber unit aids in reception of base transmission

The Personal Communications Industry Association

- RF Exposure
 - 1.2 watt ERP limit for handset with integral antenna due to proximity issues
 - Mandate for external antenna in 12 watt ERP category reinforces "non-proximity" to rf emitter and provides for standoff distance
 - Systems employ power control
 - » minimization of ERP is designed into system
- Broad Industry Support
 - 22 Companies filed comments in the Petition for Reconsideration and associated replies that support higher ERP limits.
 - » List includes service providers, manufacturers, and PCS and microwave industry associations

Advanced Technology High Gain Antennas Provide Extended Range for Rural/Highway Areas

Advanced Technology Antennas Provide Means
To Notch toward OFS

Antenna: NTI SAM (23 dBd gain) Arraycom (up to 30 dB) OmniPoint 26 dBd

Base Station

More Sensitive Receiver +5 dB Antenna Gain & Diversity =25dB Total Advantage = 30 dB


Result: To talk back to a 1 watt mobile, the base station must use 30 dB more power (1000w vs 1 w) to provide 'balanced' path

Benefit: Advanced Technology Antennas Radiate Only toward the mobile, and average (over 360 degrees) is less.


Power Needed To Serve 60 Simultaneous Users

Limiting "transmitter power" using "old single user per carrier" concepts should not apply to multi-user carriers






16 Slot TDMA



QCDMA



Power Per Carrier=100W Number of Carriers = 60

Power Per User = 100W

Total Site Power = 6,000 W

Power Per Carrier = 100W Number of Carriers = 4

Power Per User = 6.9 w

Total Site Power = 400 W

Power Per Carrier = 100 W

Number Of Carriers = 2

Power Per User = 3.3 W

Total Site Power = 200 W

Result: More Spectrum Efficient Digital Technologies

Are Penalized Significantly Because Users Share Common

Transmitter on time/code basis

PCIA February 1994 External Antennas - Provide both TX and RX Gains Provide Range Extension for Rural Areas Maintain System Talk-in/Talk-out balance

